

1/27

PRIOR ART METHOD A




FIG. 1a

2/27

PRIOR ART METHOD B




FIG. 1b

3/27

METHOD OF THE INVENTION (METHOD 1)




FIG. 2a

4/27

METHOD OF THE INVENTION




FIG. 2b

5/27

METHOD OF THE INVENTION.




FIG. 2c

6/27

SUBMETHOD OF THE INVENTION




FIG. 3a

7/27

SUBMETHOD OF THE INVENTION




FIG. 3b

8/27

SUBMETHOD OF THE INVENTION




FIG. 3c



9/27




FIG. 4

10/27




FIG. 5

11/27




FIG. 6

12/27




FIG. 7

13/27




FIG. 8

14/27




FIG. 9

15/27




FIG. 10

16/27




FIG. 11



17/27





FIG. 12

Figure 1 consists of three dot plots arranged horizontally, labeled 'TIME 0', 'TIME 6', and 'TIME 12'. Each plot shows the 'RELATIVE RESPONSE' on a logarithmic y-axis (ranging from 1 to 1000) for two groups: 'ACTIVE' and 'PLACEBO'. The data points are represented by open circles. In each plot, a horizontal line with 'NS' (Not Significant) is drawn across the top, indicating no significant difference between the groups at that time point.

Time	Group	Relative Response (approximate values)
TIME 0	ACTIVE	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000
	PLACEBO	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000
TIME 6	ACTIVE	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000
	PLACEBO	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000
TIME 12	ACTIVE	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000
	PLACEBO	2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000

FIG. 13



20/27

RATIO BETWEEN SPECIFIC IgE DETERMINED BY PRIOR ART METHOD B AND METHOD 1




FIG. 15

21/27





FIG. 17



23/27





FIG. 18

24/27

FIG. 19





25/27




FIG. 20

26/27





FIG. 21

27/27

FIG. 22



NO EFFECT: INDIVIDUAL PATIENTS

